



サカモト







FOR CROSS CUT NK-01



| NUMBER OF TEETH | THICKNESS | BORE | |
|-----------------|---|--|--|
| .60T | 3.0 | 25.4Ø | |
| 100T | 3.0 | 25.4Ø | |
| 100T | 3.0 | 25.4∅ | 30Ø |
| 100T | 3.0 | 25.4Ø | 30∅ |
| 120T | 3.0 | 25.4∅ | 30∅ |
| 100T | 3.0 | 25.4∅ | 30Ø |
| - 120T | 3.0 | 25.4Ø | 30∅ |
| 140T | 3.2 | 25.4Ø | 30Ø |
| 120T | 3.2 | 25.4Ø | 30Ø |
| 120T | 3.4 | 25.4Ø | 30Ø |
| 120T | 3.4 | 25.4Ø | |
| 120T | 3.4 | 25.4Ø | 4 |
| 120T | 3.4 | 25.4Ø | |
| | 60T 100T 100T 100T 120T 100T - 120T 140T 120T 120T 120T 120T | 60T 3.0 100T 3.0 100T 3.0 100T 3.0 100T 3.0 120T 3.0 120T 3.0 120T 3.0 120T 3.2 120T 3.2 120T 3.2 120T 3.4 120T 3.4 120T 3.4 | 60T 3.0 25.4∅ 100T 3.0 25.4∅ 100T 3.0 25.4∅ 100T 3.0 25.4∅ 120T 3.0 25.4∅ 100T 3.0 25.4∅ 120T 3.0 25.4∅ 140T 3.2 25.4∅ 120T 3.2 25.4∅ 120T 3.2 25.4∅ 120T 3.4 25.4∅ |




FOR RIP AND MULTIPLE RIP SAW NK-02



| O.D. | NUMBER OF TEETH | THICKNESS | BORE | | |
|------|-----------------|-----------|-------|-----|------|
| 255Ø | 30T | 2.2 | 25.4Ø | 50Ø | 70Ø |
| 255Ø | 30T | 2.6 | 25.4Ø | 50Ø | 70Ø |
| 255Ø | 30T | 3.0 | 25.4Ø | 50Ø | 70Ø |
| 305Ø | 36T | 2.6 | 25.4Ø | 50Ø | 700 |
| 305Ø | 36T | 3.0 | 25.4Ø | 50Ø | 70 Ø |
| 355Ø | 30T | 3.2 | 25.4Ø | 50Ø | 700 |




FOR PANEL SAW NK-03



| O.D. | NUMBER OF TEETH | THICKNESS | BORE |
|------|-----------------|-----------|-------|
| 355Ø | 50T | 3.2 | 25.4Ø |
| 355Ø | 60T | 3.2 | 25.4Ø |




FOR PANEL SAW NK-04



| O.D. | NUMBER OF TEETH | THICKNESS | BORE | | |
|------|-----------------|-----------|-------|-----|-----|
| 355Ø | 60T | 4.4 | 25.4Ø | 75Ø | |
| 355Ø | 50T | 4.4 | 25.4Ø | 75Ø | - \ |
| 355∅ | 70T | 4.4 | 25.4∅ | 75Ø | |




FOR V-CUT NK-05



| O.D. | NUMBER OF TEETH | THICKNESS | BORE | |
|------|-----------------|-----------|-------|-----|
| 255Ø | 60T | 3.0 | 25.4Ø | 30Ø |
| 255Ø | 80T | 3.0 | 25.4Ø | 30Ø |
| 255Ø | 90T | 3.0 | 25.4Ø | 30Ø |
| 280Ø | 90T | 3.0 | 25.4Ø | 30Ø |
| 305Ø | 80T | 3.0 | 25.4Ø | 30Ø |
| 305Ø | 90T | 3.0 | 25.4Ø | 30Ø |



FOR CUTTING ALUMINUM NK-06



| O.D. | NUMBER OF TEETH | THICKNESS | BORE |
|------|-----------------|-----------|-------|
| 305∅ | 120T | 3.0 | 25.4Ø |
| 355Ø | 50T | 3.2 | 25.4Ø |
| 355Ø | 120T | 3.0 | 25.4Ø |
| 380Ø | 120T | 3.2 | 25.4∅ |
| 455Ø | 120T | 3.4 | 25.4Ø |



FOR CUTTING
FERROUS METAL
NK-07



| O.D. | NUMBER OF TEETH | THICKNESS | BORE |
|------|-----------------|-----------|-------|
| 255Ø | 40T | 3.0 | 25.4Ø |
| 305∅ | 50T | 3.0 | 25.4Ø |




FOR CUTTING PC
BOARD OR ACRYLIC
NK-08



| O.D. | NUMBER OF TEETH | THICKNESS | BORE |
|------|-----------------|-----------|--------|
| 255Ø | 100T | 2.0 | 25.4Ø |
| 305Ø | 100T | 2.2 | 31.75∅ |



FINGER CUTTER NK-09




| O.D. | NUMBER OF TEETH | THICKNESS | BORE |
|------|-----------------|-----------|---------|
| 1600 | 2T×70Ø | 50Ø | 4m/m×7° |
| 160Ø | 4T×70Ø | 50Ø | 4m/m×7° |

A WIDE RANGE OF CUTTING APPLICATIONS FOR A VARIETY OF WOODWORKING AND METALWORKING MACHINERY.

NAKAMOTO offers a wide choice of saw sizes and teeth configurations to meet your cutting demands.

NAKAMOTO's Tungsten Carbide Tipped Saw Blades and finger Jointer Cutters are used by a variety of woodworking saws such as cross cutting saws, rip saws, multiple rip saws and panel saws as well as aluminum and steel cutting saws... etc. Each blade reflects the finest quality to meet your expectations. And each blade is backed up the expertise needed to match the right sawblade specifications to the job.



- 1. FOR CROSS CUT NK-01
- 2. FOR RIP AND MULTIPLE RIP SAW NK-02
- 3. FOR RIP AND MULTIPLE RIP SAW NK-03
- 4. FOR PANEL SAW NK-04
- 5. FOR PLANEL SAW NK-05
- 6. FOR V-CUT NK-06
- 7. FOR CUTTING ALUMINUM NK-07
- 8. FOR CUTTING FERROUS METAL NK-08
- 9. FINGER CUTTER NK-09



NAKAMOTO ... A RESOURCE YOU CAN TRUST.

Backed by more than ten years of design and production experience, NAKAMOTO's Sawblades and Cutters assure you superior quality and performance at a competitive price.



I SVERIGE AB SE-512 91 Sexdrega Tel +46 325 625547